SUNDANCE







The family of boats built by Composite Research





Sundance Skiffs



Sea Born Tournament Bay Boats



Sea Born NX Series Bay Hybrid




Sea Born FX Series Bay Boats



Spyder Light Tackle Flats Skiffs

Which Sundance Skiff is right for you? We have a size, layout and finish level for your budget and style. First - pick a hull size



Half a Boat

Still Floats

Then pick an interior layout...Tiller, FLX, CC, CCR or DX

Tiller	FLX	CC	CCR	DX
Tiller Steer	Center Console	Center Console	Center Console	Center Console
Modular Front Deck	Modular Front Deck	Modular Front Deck	Front Deck & Ring Cap	Front Deck & Full Liner
	XL Modular Rear Deck	Modular Rear Deck	Rear Deck & Ring Cap	Rear Deck & Full Liner
Bench Seating	Rear Deck Seating	Helm Seating	Helm Steating	Helm Seating

We build with woven and stranded fiberglass and high density urethane foam for an all composite "No Wood" construction.

Better performance, more standard features, Sundance is the Best Skiff at the Best Price and the only skiff backed with a 10 Year Transferable Warranty



K16CC

K16FLX


FLX

Tiller



















































The DX Series is our premier line of skiffs. Based on the venerable B Hull with the SRV bow, the DX Boats have fully molded inner liners with non-skid surfaces. We responded to your request for additional features in a more refined package. The rear deck has large high backed folding jump seats with thick cushions for comfortable and safe seating for your passengers. The seats fold flush for an obstruction free casting deck. A large circular insulated bait well with a plexiglass lid is located between the seats.

The fore deck sports two more cushioned jump seats with storage below. The front deck is pre-wired for a trolling motor, has plenty of room for a pedestal chair and a large anchor locker that drains overboard. The standard console is our new NXS console with front seat. There is an insulated well under the seat that can be ordered as a recirculating bait well. The folding console hand rail and quick release windshield makes garaging your boat quick and easy.

Convenience features include 8 cup holders, a glove box, and blue LED courtesy lights. There is even a removable bin over the battery compartment for additional storage. Fishing hardware includes 4 cast stainless gunwale rod holders, 6 rod racks on the console, and an insulated fish box under the port jump seat. The fish box can be plumbed as a large aerated live release well.

The DX Series uses rigid rub rail with a stainless steel insert to protect your boat, not the shiny vinyl insert you see on the box brand skiffs. All hardware, including thru hulls, are polished stainless steel and all cleats are flush mounts.

We build the best value in shallow water skiffs on the market today. We are committed to refining our designs and bringing more value to your boat. And we are the only Skiff Company that gives you a 10 Year Transferable Warranty to protect your investment for years to come.



Pale Lady Yellow	Ice Blue	Sea Foam	Platinum	Sun White (standard)
Jet Black	Steel Blue	Admiral Blue	Red	Moss green

We offer many Hull Color choices and on special orders will match any color you desire.













SPECIFICATIONS		
Length	21' - 10"	
Beam	94"	
Transom Height	25"	
Approx. Weight	1,745 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	150 H.P.	
Recommended H.P.	115 H.P.	
Draft	6"	
Floor Width	76"	
Inside Height	23"	

Shown above with optional Basic Pilot Seat and below with optional T-Top and Leaning Post

Cushioned Jump Seats

Cushioned Jump Seats

Insulated Wells under Seats

Large Bow Casting Deck

Bow Storage (Finished Wells)

Anchor Locker

Flush Bow Cleat

Step to Front Deck


Insulated Well under Seat

Trolling Motor Plug

SS Cup (4) Holders

Tackle Center behind Backrest

Rub Rail w/ S.Steel Insert




- Flush Aft Cleats
- •Stainless Rod Holders (4)
- Fold Up Jump Seats
- Removable Bin over Battery
- •Cup Holders & Glove Box
- Aerated Bait Well (42 Qt)
- Flip Cooler Seat standard
- Custom Gauge Panel
- No Feed Back Steering
- ●Insulated Well (75 Qt)
- Fold Up Jump Seats
- ●NXS Console w/ Rod Racks
- Folding Windshield & Rail 6

SPECIFICATIONS		
Length	19' - 10"	
Beam	94"	
Transom Height	25"	
Approx. Weight	1,575 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	130 H.P.	
Recommended H.P.	90 H.P.	
Draft	6"	
Floor Width	76"	
Inside Height	23"	





Shown above with optional Deluxe Pilot Seat and below with standard Flip Cooler Seat





- Flush Aft Cleats
- Stainless Rod Holders (4)
- •Fold Up Jump Seats
- Removable Bin over Battery
- ●Cup Holders & Glove Box
- Aerated Bait Well (42 Qt)
- Flip Cooler Seat
- ◆Custom Gauge Panel
- No Feed Back Steering
- •Insulated Well (75 Qt)
- Fold Up Jump Seats
- ●NXS Console w/ Rod Racks
- Folding Windshield & Rail

17' - 10" 94"

20"

1,395 Lbs.

24 Gals.

90 H.P.

70 H.P. 6"

76"



	23"	Inside Height
_		
		1 / 1008
	Y	
		Total

SPECIFICATIONS

Length

Beam

Draft

Transom Height

Approx. Weight

Fuel Capacity

Maximum H.P.

Floor Width


Recommended H.P.

Shown above and below with standard NXS Console and Flip Cooler Seat


- Flush Spring Cleats •
- Step to Front Deck
- Large Bow Casting Deck•
- Bow Storage (Finished Wells)
 - Anchor Locker•
 - Flush Bow Cleat.
 - Rub Rail w/ S.Steel Insert
 - Trolling Motor Pluge
- Cushioned Console Seate-
- Insulated Well & Cup Holders•
- Tackle Drawers behind Backreste



- Flush Aft Cleats
- •Stainless Rod Holders (4)
- •Fold Up Jump Seats
- •Removable Bin over Battery
- •Cup Holders & Glove Box
- Aerated Bait Well (42 Qt)
- •Flip Cooler Seat
- Custom Gauge Panel
- •No Feed Back Steering
- •Insulated Well (75 Qt)
- Fold Up Jump Seats
- •NXS Console w/ Rod Racks
- •Folding Windshield & Rail







CCR Series


The CCR Series is our most popular Skiffs. The integrated top cap is a one piece molded gunwale cover that connects the Yacht Finish Front and Rear Casting Platforms. We use a rigid rub rail with a stainless steel insert for superior chafing protection. Some of the competitors use plastic chrome inserts - which may be pretty but not very functional.

The CCR deck creates toe space under the coaming rail and provides horizontal rod storage. The hull is the same as the Original and DX series with our SRV Side Relief Bow for a drier and smoother ride.

New for this year is an extra large below floor rigging track. The rigging track makes adding additional equipment or servicing a breeze. Standard features include stainless steel cleats with a flush mount cleat up front, aerated baitwell, multiple seating options and factory rigged engines. Our gauges and controls are built by the engine manufacturer for extended warranty protection. The F CCR boats use the FB Console and the B CCR boats use the new NXS Console.

Our skiffs are backed by an industry leading 10 Year Limited Hull Warranty to protect your investment for years to come.












B22CCR

SPECIFICATIONS		
Length	21' - 10"	
Beam	94"	
Transom Height	25"	
Approx. Weight	1,685 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	150 H.P.	
Recommended H.P.	115 H.P.	
Draft	6"	
Floor Width	80"	
Inside Height	22"	



feature highlights

Shown above and below with standard NXS Console and Flip Cooler Seat



- Flush Aft Cleats
- Stainless Rod Holders
- Optional Swim Ladder
- ··•Battery & Storage Well
- Cup Holders & Glove Box
- ■Below Floor Rigging Tube
- CCR molded Splash Well
- Custom Gauge Panel
- ···

 No Feed Back Steering
- ··•Flip Cooler Seat
- ••Aerated Bait Well
- ···

 NX Console w/ Rod Racks


B20CCR

SPECIFICATIONS		
Length	19' - 10"	
Beam	94"	
Transom Height	25"	
Approx. Weight	1,525 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	130 H.P.	
Recommended H.P.	90 H.P.	
Draft	6"	
Floor Width	80"	
Inside Height	22"	





Shown above and below with standard NXS Console and Flip Cooler Seat



SUNDANCE Shown above with optional FB Console and standard Flip Cooler Seat

feature highlights

Shown below with standard NXS Console and Flip Cooler Seat

B18CCR

SPECIFICATIONS		
Length	17' - 10"	
Beam	94"	
Transom Height	20"	
Approx. Weight	1,355 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	90 H.P.	
Recommended H.P.	70 H.P.	
Draft	6"	
Floor Width	80"	
Inside Height	22"	






- ···•Stainless Rod Holders
- SS Aft Cleats
- ■Battery & Storage Well
- ●Cup Holders & Glove Box
- Below Floor Rigging Tube
- 20.011 1.001 1.099...9 1.000
- ●CCR molded Splash Well
- Custom Gauge Panel
- No Feed Back Steering
- •Flip Cooler Seat
- Aerated Bait Well
- NXS Console w/ Rod Racks

SPECIFICATIONS		
Length	18' - 9"	
Beam	76"	
Transom Height	20"	
Approx. Weight	1,190 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	90 H.P.	
Recommended H.P.	70 H.P.	
Draft	6"	
Floor Width	65"	
Inside Height	19"	





Shown below with standard FB Console and optional Leaning Post and Cooler in front of console





F17CCR


SPECIFICATIONS		
Length	16' - 9"	
Beam	76"	
Transom Height	20"	
Approx. Weight	1,070 Lbs.	
Fuel Capacity	24 Gals.	
Maximum H.P.	70 H.P.	
Recommended H.P.	60 H.P.	
Draft	6"	
Floor Width	65"	
Inside Height	19"	



feature highlights


and optional Bow Rails

Shown below with standard FB Console and Flip Cooler Seat and optional Bow Rails



SPECIFICATIONS		
Length	15' - 9"	
Beam	65"	
Transom Height	20"	
Approx. Weight	680 Lbs.	
Fuel Capacity	10 Gals.	
Maximum H.P.	50 H.P.	
Recommended H.P.	40 H.P.	
Draft	5"	
Floor Width	50"	
Inside Height	13"	













Stern Cleats

Shown above with standard K Console

- ●Snook Grey Rub Rail
- Battery Compartment
- ◆Cooler Seat w/ cushion
- ■Below Floor Rigging
- -•Bilge Pump
- Aerator Pump
- High Speed Aerator Pick Up
- ●No Feed Back Steering
- Stainless Steel Wheel
- ·•Aerated Bait Well
- •Tach & Fuel Gauges (FX Console only)



Wind Shield & Hand Rail.

Trolling Motor Plug•



SPECIFICATIONS		
Length	15' - 9"	
Beam	65"	
Transom Height	20"	
Approx. Weight	680 Lbs.	
Fuel Capacity	10 Gals.	
Maximum H.P.	50 H.P.	
Recommended H.P.	40 H.P.	
Draft	5"	
Floor Width	50"	
Inside Height	13"	



feature highlights

Shown below with standard K Console and optional Cooler in front of console



- •Stern Cleats
- Extra Large Casting Deck
- Battery Compartment
- •Below Floor Rigging
- Aerator Pump
- ··•High Speed Aerator Pick Up
- •No Feed Back Steering
- •Stainless Steel Wheel
- Aerated Bait Well
- ◆Snook Grey Rub Rail

Sundance Specifications	K16CC	K16BD	F17CCR	F19CCR	B18CCR	BZOCCR	BZZCCR	DX18	DX20	DX22	Sundance Specifications	K16CC	K16BD	F17CCR	F19CCR	B18CCR	B20CCR	B22CCR	DX18	DX20	DX22
Specifications		-			ш	ш	ш	-	u	-	Fuel Systems	-	*	IL.		ш	ш	ш		-	-
Length Overall	15-9	15-9	16-9	18-9	17-10	19-10	21-10	17-10	19-10	21-10		10	6	24	24	24	24	24	24	24	24
Beam	64"	64"	76"	76"	94"	94"	94"	94"	94"	94"	Console side fill w/ SS Cap	S	0	S .	S	S	S .	S	S S	S	S
Floor Width (at Transom)	50"	50"	65"	65"	80"	80"	80"	76"	76"	76"	Fuel Filter 10 Micron	S	S	S	S	S	S	S	S	S	S
Charles and the Control of the Contr	-			20"	20"	25"	25"	20"	25"	25"	A REAL PROPERTY OF THE PROPERT		3	3	3	3	3	3	9	0	3
Transom Height	20"	20"	20"	-	-	1	-	1000	-		Steering No. Food Book Steering	0				0					-
Weight (No Fuel or Engine)	680	680	1070	1190	1355	1525	1685	1395	1575	1745	No-Feed-Back Steering	S	S	S	S	S	S	S	S	S	S
Draft	5"	5"	6"	6"	6"	6"	6"	6"	6"	6"	SS Steering Wheel (DIA.)	13	13	15	15	15	15	15	15	15	15
Fuel Capacity	10	6	24	24	24	24	24	24	24	24	Hydraulic Steering			0	0	0	0	0	0	0	0
Interior Height (at Transom)	13"	13"	19"	19"	22"	22"	22"	23"	23"	23"	Hydraulic Steering W/ Tilt Steering			-	-	0	0	0	0	0	0
Max Horsepower	50	40	70	90	90	130	150	90	130	150	SS Steering Wheel w/ Knob (Hydraulic)			13	13	13	13	13	13	13	13
Recommended Horsepower	40	25	60	70	70	90	115	70	90	115	Helm Seating		-								
Maximum Passengers	4	4	5	6	6	8	8	6	8	8	50 qt. Cooler(helm seat)	S	-								
Max. Person Capacity	596	596	737	878	878	1160	1160	878	1160	1160	Flip Cooler Seat			S	S	S	S	S	S	S	S
Max Capacity Total	1086	1086	1303	1510	1510	1942	2100	1510	1942	2100	Basic Pilot - SS Flip Cooler Frame			0	0	0	0	0	0	0	0
Hull											Deluxe Pilot - SS Flip Seat			0	0	0	0	0	0	0	0
Skiff Rub Rail - Snook Grey	S	S									Leaning Post w/ Cooler			0	0	0	0	0	0	0	0
Rigid Rub Rail w/ Stainless Steel Insert			S	S	S	S	S	S	S	S	Cockpit Seating and Storage										
Rigging channel below floor	S	S	S	S	S	S	S	S	S	S	Front Deck Bass Chair	0	0	0	0	0	0	0	0	0	0
Painted Floor	S	S	S	S	S	S	S				Rear Deck Bass Chair		0	0	0	0	0	0	0	0	0
Full Liner floor w/ diamond non-skid								S	S	S	Front Deck Jump Seats w Storage		1			S	S	S		S	S
Black Cleat Thru-Bolted	5	5									Rear Deck Folding Jump Seats								S	S	S
Stainless Steel Cleats			4	4	4	4	4				Anchor Locker								S	S	S
Flush Mount SS Pull Up Bow Cleat			1	1	1	1	1	1	1	1	Fishing Hardware & Plumbing								-		
ALL Flush Mount Pull Up SS Cleats			0	0	0	0	0	4	4	4	Insulated Well - port side aft	S		S	S	S	S	S	S	S	S
Transom Swim Platform	0	0	0	0	0	0	0	S	S	S	Size in Qts.	40		30	40	40	40	40	75	75	75
Trim Tabs 9x9	-	0	0	0	0	0	0	0	0	0	Raw Water Aeration	S		S	S	S	S	S	S	S	S
			0	0	0	0	0	0	0	0	Insulated Well - Center Aft	3	S	3	3	3	3	0	S	S	S
Power Pole 8' (Wht or Blk)			0	0	0	0	U	0	U										-	-	
Console Type	-										Size in Qts.	_	40						42	42	42
K Console	S	S									Raw Water Aeration		S			-		-	S	S	S
FX Console (w/ front seat)	0	0									Insulated Console Well					S	S	S	S	S	S
FB Console			S	S	0	0	0				Size in Qts.		-			40	40	40	40	40	40
NXS Console (w/front seat)	-	-0.0			S	S	S	S	S	S	Raw Water Aeration					0	0	0	0	0	0
72 Qt Cooler (front of console)	0	RO	0	0							Electrical & Plumbing Systems										
Console Features		- 10			_						Navigation Lights	S	S	S	S	S	S	S	S	S	S
2 Switch Electrical Panel		S									Trolling Wire Kit (6 AWG)	S	0	S	S	S	S	S	S	S	S
4 Switch Electrical Panel w/ Power Point	S	0									Auto Bilge Pump - gph (Standard)	500		500	500	500	500	500	1000	1000	1000
FB 4 Switch Panel / Power Point			S	S	S	S	S				Aerator Pump No. 1	500		500	500	500	500	500	500	500	500
7 Switch Panel / Power Point								S	S	S	Additional Aerator Pump No. 2					0	0	0	500	500	500
Engine Brand Analog Tach, Fuel & Volt			S	S	S	S	S	S	S	S	Aerator Hi-Speed PickUp	S	S	S	S	S	S	S	S	S	S
Engine Brand Digital Gauges			0	0	0	0	0	0	0	0	Raw Water Wash Down System								0	0	0
Booted Toggle Switches	S	S	S	S	S	S	S	S	S	S	Cockpit Courtesy Lights (Blue LED)								S	S	S
Electric Horn								S	S	S	Baitwell Lights (Blue LED)								S	S	S
Glove Box					S	S	S	S	S	S	Rails & Tops										
Console Windshield & Handrail	S	S	S	S	S	S	S	S	S	S	Split Bow Rails	0	0	0	0	0	0	0	0	0	0
Removable Windshield & Hand Rail					S	S	S	S	S	S	Side Rails	0	0	0	0	0	0	0	0	0	0
SS Cup Holders on NXS Console					-4	4	4	4	4	4	Stern rails	0	0	0	0	0	0	0	0	0	0
Insulated Well under Console Front Seat					S	S	S	S	S	S	Bimini Top w/ Boot	0	0	0	0	0	0	0	0	0	0
Console Front Seat Back Rest Cushion					S	S	S	S	S	S	Tee Top w/ 4 Rod Holders					0	0	0	0	0	0
Removable Front Seat Back Rest Cushion					S	S	S	S	S	S	Tee Top Electronics Box			-		0	0	0	0	0	0
Tackle Center (frt of Console)					0	0	0	S	S	S	Covers & Upholstery			L. C.		0		J		0	3
Rod Holders					0	J	.0	3	3	3	Sunbrella Console Cover	0	0	0	0	0	0	0	0	0	0
			1			6	-						-	100000	-	-	-		-		_
Rod Holders under g'wale (rods per side)					S	S	S	-	-	-	Front Deck Sun Pad	0	0	0	0	0	0	0	0	0	0
Rod Lockers under g'wale (rods per side)			-	-	-	-		S	S	S	Composite Research, Inc. reserve the right to change										
Rod Holder Racks on Console	4	4	6	6	6	6	6	6	6	6	incurring any obligations. Specification and measur Confirm all specification and options with your Deale			nate and s	subject to	variance	s All Righ	its Reser	ved. Rev	sed July	1, 2014.
Rod Holders (SS) on g'wales			2	2	2	2	2	4	4	4	Commit an specification and options with your Deale	er buot to b	urcriase.								



Sundance Boats deserve great power.

Sundance Boats is proud to recommend Mercury® FourStroke Outboard power. When you rig your boat with an outboard from Mercury Marine®, you're not just getting the best power available – you're getting an experienced team of boating enthusiasts dedicated to taking care of you. No matter how you want to use your boat – fishing, skiing, cruising or just relaxing on a sunny Saturday afternoon – everyone at Mercury wants to ensure that each minute you spend on the water is unforgettable.







150HP FourStroke

- The lightest and smallest 150hp on the market
- Vibration and sound management systems provide smooth and quiet operation.
- Highest displacement in the 150hp class delivers TwoStroke torque with FourStroke efficiency



90-115HP FourStroke

- Turn Key reliability with ease on your pocketbook
- Robust gearcase design maximizes your boating experience
- · Supplies plenty of torque for optimal performance



40-60HP FourStroke

- · Gearcase provides better performance and efficiency
- · Propellers provide more power and acceleration
- · Low gear ratio provides superior maneuverability



25HP FourStroke

- The lightest engine model in its class
- Industry-leading, battery-free EFI provides turn-key starting, dependability and efficiency
- High-output alternator offers more charging power than the competition



- · Three-blade stainless steel propeller
- · Improves acceleration and top speed
- · Perfect for 150HP and above



Spitfire Propeller

- · Four-blade aluminum propeller
- · Tenacious grip in turns
- Perfect for 25HP 115HP



www.sundanceboats.com

6131 Sundance Rd, Blackshear, GA 31516 912-449-0033 Fax: 912-449-0038 Email: info1@sundanceboats.com

Composite Research, Inc. makes Sundance, Sea Born and Spyder boats. Composite Research, Inc. continually strives to improve and enhance our products. We reserve the right to change, discontinue or alter specifications, models, features, equipment or prices without notice or incurring any obligations. Some photographs in this brochure may feature boats with optional installed equipment. Some options may conflict with other options. Specification and measurements are approximate and subject to variances. All Sundance boats are built to meet or exceed U.S. Coast Guard requirements at time of manufacturer. Sundance Boats, Sundance Skiffs, K Series, F Series, B Series, CCR Series and DX Series are trademarks of Composite Research, Inc. All Rights Reserved. Revised July 1, 2014. Confirm all specification and options with your Dealer prior to purchase.