

Yamaha Performance Bulletin

YPB#: PB_SDC_F17CCR_F60TLR_8-19-08_SKF

Test Date: 8/19/08



Sundance F17CCR

Length	16' 9"
Beam	6' 4"
Dry Weight (Boat Mfr. Published)	1,260 lbs.
Maximum HP	70 hp
Fuel Capacity	24 gals.
Weight as Tested (Approximate)	1,996 lbs.



Boat Manufactured By:

Sundance • 6131 Sundance Road • Blackshear, GA 31516
(912) 449-0033 • www.sundanceboats.com

Yamaha F60TLR

Horsepower	60
Displacement	60.8 cu. in.
Weight (Catalog Published)	237 lbs.
Gear Ratio	1.85

Engine Mounting Height

Mounting Hole Position	#2
Anti-Ventilation Plate Height	Even with Bottom

Propeller

Series	Painted Stainless Steel Series
Diameter/Pitch	12 x 11
Yamaha Part #	663-45972-60-98
Propeller Material	Stainless Steel

Test Conditions

Number of People	2
Air / Water Temperature (Fahrenheit)	90° / 84°
Elevation	Sea Level
Wind Velocity	5-10 MPH


Comments: Test weight includes 1/2 tank of fuel, one battery, safety and test equipment. Fuel consumption data gathered with Yamaha Command Link® fuel management system. Zero-to-20 speed data gathered with Yamaha speedometer. Other speed data gathered with GPS receiver.

Notice to Consumer: The information and data contained in this Performance Bulletin is approximate and subject to many different factors and variables. It is provided as a guideline only and should not be relied upon as representative of actual performance. Your boat's performance may be different than the information contained in this Performance Bulletin due to various factors, including your boat's actual weight, wind and water conditions, temperature, humidity, elevation, bottom paint, boat options affecting wind/water drag and/or boat weight, and operator ability. Please confirm the specifications and performance data on your specific boat/engine combination with your dealer prior to purchase. Yamaha reserves the right to change the specifications and performance data of this Performance Bulletin or engine without notice.

Performance Data

RPM	MPH	GPH	MPG
1000	3.5	0.3	11.67
1500	4.6	0.6	7.67
2000	5.8	1.0	5.80
2500	6.7	1.3	5.15
3000	7.9	2.0	3.95
3500	11.4	2.5	4.56
4000	17.7	2.6	6.81
4500	22.5	3.0	7.50
5000	26.2	3.6	7.28
5500	29.6	4.6	6.44
6050	33.1	5.4	6.13

Seconds to Plane 7.66
Seconds 0-20 MPH 11.43



Test performed and verified by Yamaha Application Engineers.

For More Information:

Yamaha Motor Corp., USA • OEM Division, Marine Group
1270 Chastain Road NW • Kennesaw, GA 30144 • (800) 88-YAMAHA
For other Performance Bulletins, visit www.yamaha-motor.com.