
# SUNDANCE










Better performance, more standard features, Sundance is the Best Skiff at the Best Price and the only skiff backed with a 10 Year Transferable Warranty.






















































Our premier line of skiffs, the Sundance DX Series includes models ranging between 18' and 22' satisfying every need and budget. With a one-piece top liner, stylish lines, and molded non-skid surface, every DX will turn heads with their high-end modern look.

Inside the DX, there's two cushioned seats with storage below, an overboard draining anchor locker, pedestal seat mount, and prewired trolling motor port. Under the forward console seat, you can choose between an insulated or aerated well and when it comes time the for storage, just fold down the handrail, quick release windshield quickly and easily.

Behind the console there's two full-sized, folding jump seats offering passengers improved comfort and safety. Fold the seats down, then cast from a large deck with a large circular aerated bait well and convenient clear-view lid.

For the family, there's eight cup holders, glove box with charging port, and stylish blue LED courtesy lights. For the angler, the DX offers stainless steel gunwale rod holders, console rod racks, and an optionally plumbed port side fish box that converts to an oversized live release well. Finishing the DX, we've added stainless steel thru hulls, flush mounted cleats, and rigid high-impact rub rail.

Need more power and better fuel economy? Every 20' and 22' DX HPX include three additional inches of freeboard and a five-inch tunnel hull which smooths the ride, conserves fuel and keeps you drier.

Simply put, we build the best shallow water skiffs on the market today. Committed to refining our designs and consistently innovating to bring more value, we're the only brand of skiff confident enough to give offer a ten-year limited hull warranty.



We offer many hull color choices and on special orders will match any color you desire.











### DX22 HPX

SPECIFICATIONS										
Length	21' - 10"									
Beam	94"									
Transom Height	25"									
Approx. Weight	1,745 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	150 H.P.									
Recommended H.P.	115 H.P.									
Draft	6"									
Floor Width	76"									
Inside Height	23"									



Flush Aft Cleats

Stainless Rod Holders (4)

•Removable Bin over Battery

•Cup Holders & Glove Box

Aerated Bait Well (42 Qt)

•Flip Cooler Seat standard

•Custom Gauge Panel

•No Feed Back Steering

●NXS Console w/ Rod Racks


•Folding Windshield & Rail


•Insulated Well (75 Qt)

Fold Up Jump Seats

•Fold Up Jump Seats

Shown Above with optional Basic Pilot Seat and Below with Optional T-Top and Leaning Post





SPECIFICATIONS										
Length	19' - 10"									
Beam	94"									
Transom Height	25"									
Approx. Weight	1,575 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	130 H.P.									
Recommended H.P.	90 H.P.									
Draft	6"									
Floor Width	76"									
Inside Height	23"									





Shown Above with Optional Deluxe Pilot Seat and Below with Standard Flip Cooler Seat



Cushioned Jump Seats.

Insulated Wells under Seats. Large Bow Casting Deck•

Anchor Locker•

Flush Bow Cleate

Bow Storage (Finished Wells).

Step to Front Deck●

Trolling Motor Plug•

Cushioned Console Seate

Insulated Well & Cup Holders•

Tackle Drawers behind Back reste

Rub Rail w/ S.Steel Insert •



- Flush Aft Cleats
- Stainless Rod Holders (4)
  - •Fold Up Jump Seats
- Removable Bin over Battery ●Cup Holders & Glove Box
- Aerated Bait Well (42 Qt)
- •Flip Cooler Seat
- Custom Gauge Panel
- No Feed Back Steering
- •Insulated Well (75 Qt)
- •Fold Up Jump Seats
- ●NXS Console w/ Rod Racks
- •Folding Windshield & Rail





SPECIFICATIONS										
Length	17' - 10"									
Beam	94"									
Transom Height	20"									
Approx. Weight	1,395 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	90 H.P.									
Recommended H.P.	70 H.P.									
Draft	6"									
Floor Width	76"									
Inside Height	23"									



Shown Above and Below with Standard NXS Console and Flip Cooler Seat

Flush Spring Cleats • Step to Front Deck Large Bow Casting Decke Bow Storage (Finished Wells) Anchor Locker Flush Bow Cleate Rub Rail w/ S.Steel Insert • Trolling Motor Pluge Cushioned Console Seate-Insulated Well & Cup Holders Tackle Drawers behind Backrest.



- Flush Aft Cleats
- Stainless Rod Holders (4)
- Fold Up Jump Seats
- Removable Bin over Battery
- ●Cup Holders & Glove Box
- Aerated Bait Well (42 Qt)
- •Flip Cooler Seat
- Custom Gauge Panel
- No Feed Back Steering
- •Insulated Well (75 Qt)
- Fold Up Jump Seats
- NXS Console w/ Rod Racks
- Folding Windshield & Rail







## CCR Series

Our most popular skiff, the CCR series includes an integrated onepiece, molded top with extra wide gunwales that connect the yacht style front and rear casting platforms. Based on our B hull and SRV bow, you can expect a dry, smooth, and comfortable ride suited for fish ing or simple cruises with friends or family.

Every CCR boat includes stainless steel rub inserts adding superior protection against chafing and blemishes along with ample space under the coaming rail offering plenty of horizontal rod storage. Below the floor, CCR's are built with a rigging track that makes adding additional equipment or service guick and easy.

Other notable standard features include stainless steel flush mount cleats, aerated baitwell, additional seating and your choice of factory rigged engine. Additionally, all gauges and controls are installed to the engine manufacturers specifications for added warranty protection.

Put plainly, we build the best shallow water skiffs on the market today because we're committed to the refinement of our designs through consistent innovation. With more features and more value, we're the only brand of skiff confident enough to give you a ten-year limited hull warranty.














#### **SPECIFICATIONS** Length 21' - 10" 94" Beam Transom Height 25" Approx. Weight 1.685 Lbs. **Fuel Capacity** 24 Gals. 150 H.P. Maximum H.P. Recommended H.P. 115 H.P. 6" Draft Floor Width 80" Inside Height 22"

### feature highlights

Shown Above and Below with Standard NXS Console and Flip Cooler Seat



- ..... Flush Aft Cleats
  - Stainless Rod Holders
  - Optional Swim Ladder

NXS Console

- Battery & Storage Well
- •Cup Holders & Glove Box
- ●Below Floor Rigging Tube
- CCR molded Splash Well
- ◆Custom Gauge Panel
- •No Feed Back Steering
- Flip Cooler Seat
- Aerated Bait Well
- NX Console w/ Rod Racks


### B20CCR

SPECIFICATIONS										
Length	19' - 10"									
Beam	94"									
Transom Height	25"									
Approx. Weight	1,525 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	130 H.P.									
Recommended H.P.	90 H.P.									
Draft	6"									
Floor Width	80"									
Inside Height	22"									





Shown Above and Below with Standard NXS Console and Flip Cooler Seat







SPECIFICATIONS										
Length	17' - 10"									
Beam	94"									
Transom Height	20"									
Approx. Weight	1,355 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	90 H.P.									
Recommended H.P.	70 H.P.									
Draft	6"									
Floor Width	80"									
Inside Height	22"									





- Stainless Rod Holders
- SS Aft Cleats
- · Battery & Storage Well
- ●Cup Holders & Glove Box
- Below Floor Rigging Tube
- •CCR molded Splash Well
- Custom Gauge Panel
- •No Feed Back Steering
- •Flip Cooler Seat
- Aerated Bait Well
- NXS Console w/ Rod Racks


### F19CCR

SPECIFICATIONS									
Length	18' - 9"								
Beam	76"								
Transom Height	20"								
Approx. Weight	1,190 Lbs.								
Fuel Capacity	24 Gals.								
Maximum H.P.	90 H.P.								
Recommended H.P.	70 H.P.								
Draft	6"								
Floor Width	65"								
Inside Height	19"								





Shown Below With standard FB Console and Optional Leaning Post and Cooler in Front of console






### F17CCR

SPECIFICATIONS										
Length	16' - 9"									
Beam	76"									
Transom Height	20"									
Approx. Weight	1,070 Lbs.									
Fuel Capacity	24 Gals.									
Maximum H.P.	70 H.P.									
Recommended H.P.	60 H.P.									
Draft	6"									
Floor Width	65"									
Inside Height	19"									



### feature highlights


Shown Below with Standard FB Console and Flip Cooler Seat and Optional Bow Rails



### K16CC

SPECIFICATIONS									
Length	15' - 9"								
Beam	65"								
Transom Height	20"								
Approx. Weight	680 Lbs.								
Fuel Capacity	10 Gals.								
Maximum H.P.	50 H.P.								
Recommended H.P.	40 H.P.								
Draft	5"								
Floor Width	50"								
Inside Height	13"								





Large Front Casting Deck

Storage under Deck•

Bow Anchor Clocks•

Bow & Stern Nav Lights●

K Console Standard

(Optional FX Console Shown)

FX Console has front seat

& insulated well


Wind Shield & Hand Rail.

Trolling Motor Plug•

Rod Racks (2 per side).



- ... Stern Cleats
- Snook Grey Rub Rail
- ... Battery Compartment
- · Cooler Seat w/ cushion
- ●Below Floor Rigging
- ....
  ●Bilge Pump
- ··· •Aerator Pump
- ·· High Speed Aerator Pick Up
- No Feed Back Steering
- Stainless Steel Wheel
- ·· Aerated Bait Well
- Tach & Fuel Gauges
  (FX Console only)








SPECIFICATIONS										
Length	15' - 9"									
Beam	65"									
Transom Height	20"									
Approx. Weight	680 Lbs.									
Fuel Capacity	10 Gals.									
Maximum H.P.	50 H.P.									
Recommended H.P.	40 H.P.									
Draft	5"									
Floor Width	50"									
Inside Height	13"									



Shown Below with Standard K Console and Optional Cooler in Front of Console



- ... •Stern Cleats
- Extra Large Casting Deck
- Battery Compartment
- Below Floor Rigging
- ...•Bilge Pump
- Aerator Pump
- High Speed Aerator Pick Up
- ●No Feed Back Steering
- Stainless Steel Wheel
- ··•Aerated Bait Well
- Snook Grey Rub Rail

Section   Sect	Sundance Specifications	KHICC	K1580	FITCCR	FIRGOR	BISCCR	BENCON	висси	DX18	0X20	DXZI	Sundance Specifications	KIICC	KIIBD	PITCOR	MAGER	BHICCR	HIJICON	вглося	OX18	0X20	DX22
Long Drowner   150   1		1.5		14.			-					200 P. 134 J. A. C.		12.00			2.00					
Page	ACCUPANTION OF THE PARTY OF THE	15.0	178.0	265.0	1936	150000	10.10	94.40	12.10	10.10	21.30	THE RESIDENCE OF THE PARTY OF T	10		24	2.50	224	21	24	100	794	764
Now Marked   Temporal   Sept	E5107/A	CONTRACTOR CONTRACTOR	Contractor print	STATE OF STREET			white the same		CONT. ACTOR	the same of the	the same of the same of	ACTION OF PERSONS ASSESSMENT		0	-			and the second of the				4110
Transpart Negative Name   Section		-		-		-	-			_	-	The state of the s		-			-	-				
Weight (Weight England)	HICKORY CONTRACTOR CON	-					the second second		and the second second	-		SECRETARIA DE LA CONTRACTORIA DE	9	0:	3:	- 4	2	Di	- 3	В	- 2	
Dark   Si   Si   Si   Si   Si   Si   Si   S	Name and All Control of the Control	*****	-		-	-	Charles and	-	territoria de la constitución de	-	-	The state of the s			- E:	-	1 4	N-S	- 6		- ×	-
Fiel Classody Inter League (1 monom) Inter Le		the second second			-	Anna Lancardo		-		100000000000000000000000000000000000000		TOTAL CONTRACTOR OF THE PROPERTY OF THE PROPER			-	ACRES AND	and the second second		and the second	And September 1944	-	
International Content   17	Participal Children	-	-	-	-	-	-		-			SCANCE PROPRIES	13	13				-				
Mac Humangorey 46		-	-	and the lives of		-	-			_		The Property of the Control of the C			- 0	0	-		-	1,000		-
Recommendate interspepare	NAME AND ADDRESS OF A STATE OF A	and the local division in which the local division is not a second or local division in the local division in	the state of			4111000111	1000	Street, Square, Square,		transchilde bed		The first of the contract of t					0	0	- 0	through the country	mark to be a second	
Most Ferrom Fiscondages	AND DESCRIPTION OF THE PARTY OF	-	-			-	1000	-	_	1747										45	13	.13
Max. Femeric Agracing   596   596   737   878   1780   1	Recommended Horsepower	40	25	60	70	70	90	115	70	90	110	Helm Seating										
Max Contently Leaf   Mull   Series   Mull	Mornum Passingera	.4.		ij.		- 8	U.	-8		U.	- 0	50 qt. Cookerthelm anal )	8									
Hull  Set Hull Set	Max. Ferson Capacity	596	595	737	878	878	1160	1180	876	1160	1180	Flip Cooker Scatt	- 3		S	8	- 5	5	8	8	8	ā
Self-High Part   Self	Mex Capacity Total	1005	1006	1203	1530	1510	1942	2100	1510	1942	2100	Basic Plot - SS Fig Code: Frame			0.	0	0	. 0	C	0	0	.0
Right filter of Coarless of State   Section	Hull	HINTLANDS	ATTENDOOR .	entri Delle	Total Control	400000	10114000		STORY FOLIA	in to contract		Deluxe Pitot - SS Fito Seat			0	0	0	0	C	0	.0	0
Rigaring information   S	SMIT Rub Rail Snock Grey	8	8									Leaning Post W Cooler			0	0	0	-0	C	0	0	-0
Rigaring information   S	CONTROL OF THE PROPERTY OF THE	-		6	-8	8	-6:	8	6	6	- 61			_								
Parent   P	COMPANIES CONTRACTOR C	8	- 3				100	(* × × ×				The Control of the Co	0	0.	0	100	L.O.	-0:	.0	0	0	10
Fall bin Now Married House Deads   S   S   S   S   S   S   S   S   S	CONTRACTOR	_							-	-	-	IS TO THE PROPERTY OF THE PARTY	-	_	-		-	-				
Black Clouds		- 0	-3	.0	2	- 2	-8-	0			. 0	CAN BE SECOND OF A MAN OF SAN DESIGNATION OF SAN DE		-	- 0		Annabal Julian	Interhal de Engl	trice Processing	-	to the lack towns	district the same
Searning State Charles	The state of the s		Cer			-			-11	90	-9-	A CONTRACTOR OF THE PROPERTY O	_	-		_	-11	:: 24	. 0	1.80		
Flack Numer SS Pull Lip Box Clotal   1   1   1   1   1   1   1   1   1	LTHE COLORS OF THE PARTY OF THE COLORS OF TH	:2/	>:0					-			-		_			_	_			THE REAL PROPERTY.		1197-
ALL Flank Mount PM List SC Clerks  O O O O O O O O O O O O O O O O O O O	The state of the s	_	_	11000	_		_		-7	-	- 511	The section of the se	_	_		_				- 15	- 5	- 3
Translate Basin		_		_	_				_	_			_		-		-					16-2
That Take Bids	CONTROL FOR THE PARTY OF THE PA										_	District Control of the Control of t					-		-			
Public Public (FMH or Pib)	Transom Swm Platform	0	-0			-					-	COST 1 1 COST				-	-			According to the Parket		
Conside Type	Trim Table 9x9			0	0	0	0	0	0	0	0	Raw Water Acration	8		8	8	8	- 6	8	5	8	.8
F. Concode   F.	Power Pole (C(Mht or Eth)			0	0	.0	0	0	0	-0	0	Imulated Wet - Center All		. 6.						.9	8	6
FX Conside furth result	Conside Type											Size in Cits.		40						42	42	42
FD Conside	K Gonsole	8	-8									Raw Water Aeration		8						8	8	4
MS Garsicals (without several as   1	FX Console (w/ firm) selet)	0	0									Insulated Coracie Well		-			.0	- 5	8	0	- 8	8
MS Garsicals (without several as   1	FB Console			- 8	8	0	0	0				Size in Ota					40	4.0	40	-00	40	-90
Consider Features   Consider Features   Consider Features   S	A-DASONITO DA parte productiva accessor					110 FOID	1000	100000000000000000000000000000000000000	- 55	-9	- 84	GOOD AND STATE OF THE STATE OF					BITTERS PRODUCT	transfer and property and property and		and the second of the	med a series	\$1000000000000000000000000000000000000
New Gelden Equations   Section Secti	Jehon J. Green Commission and Association Street	D.	50	.0	0	-		-	-	-	-	the state of the s						_	-			-
2 Setton Rechtack Panel   Pane		TICHOLES!	140	OCL-	10	0 0	-					Also the state of	0	-	0.	- 10			et /	- 0		. 0
## Auto Bigs Pump - gph (Shandard)	Control Control Control Control	_	1 -2	_				-			_	Land to the Land of the Control of t	-	-	-	BOTTO STATE OF	Section 1981	District Printed	Li Parricorioni	The second second	1000	\$11500000
FD 4 Gwitch Parvell Player Point FB 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	Service Control of Con	78	-			-					-	The spiffers of some first between the source	_	- 64	-	and the backs	-			-	and the second	
7 Bestith Parrel / Power Point Figure Power Power Figure Power	Miles Control of the American Control of the Contro	. 0	0	170	- 10		-	8				Control of the Contro		_	Andreas American	And district to the last			10000	10000000	and the latest	Annual Property
Engine Hierard Analog Tock Fuel & Volt   S   S   S   S   S   S   S   S   S	ASSEMBLY RECORD AND ADDRESS OF THE PERSON OF			- 6	-8	- 35	-6	8	-115	- 20	-	Control of the Contro	504		-500	-500			17.70		man bearing to the	-
Engine Deamit Digital Gaugne				100		100	- 111				-	CONTRACTOR		100	1111111		1	-		-		
Rocker Switches	ed a Library i a fill americana harita del fill de la filla de			\$110m, warmen				Annual Property lies		100	Annual Street Co.	NATIONAL DESCRIPTION OF STREET AND STREET AN	8	8	8:	8	8	15	8	the Parketter		4444
Detect   Control   Found   Control	and the state of t					0						The state of the s								-	-	-
Section   Consider	Rocker Switches	8	a	-8	8	38	8	8	8	8	8	Cockpit Couriesy Lights (Blue LED)			A CONTRACTOR OF THE PARTY OF	0	Autority Overcon	100 h 20 chi co 10	والمساكدة المتنوا والما	B		海
Consider Nithersheld & Franchist & Franc	Electric Horn / Rooker Switches						-		\$	9	8	Barwell Lights (Blue LED)			0	0	0		0	-15	- 5	- 5
Seminaration   Semi	Glove Box	335	0			8	В	8	8	8	8	Rails & Tops					1-3-0					11-2
SS Cup Holders on NX3 Consider   SS Cup Holders   SS Cup H	Console Windshield & Fundrell	8	. 5	:5	-8	5	5	9	5	3	- 6	Split Bow Rate	0	0	0.	0	0	0	C	0	.0	0
SS Cup Holders on NX3 Consider   SS Cup Holders on NX3 Consider   SS Cup Holders on NX3 Consider   SS Cup Holders   SS S S S S S S S S S S S S S S S S S	Removable Windshield & Hand Rail	-		-		8	8	8	80	S.	8	Side Ralis	0	0	0	0	0	0	C	0	.0	0
Impulsed Well under Curpole Front Seat   Seat Seat Rost Custom   Seat Seat Seat Rost Custom   Seat Seat Rost Custom   Seat Seat Seat Rost Custom   Seat Seat Custom   Seat Seat Rost Rost Custom   Seat Seat Rost Rost Custom   Seat Seat Seat Seat Seat Seat Seat Seat	SS Cup Holders on NX9 Consele						:4	-	_	-	-	Sigminals	O.	0	-	0	0	0	C	-		0
Console Front Seat Book Rest Cushion	The state of the s					-					and the same of the last	CARLES AND		-	-	4111	All the Contract of the Contra	the second	- Laboration	ALCOHOLD STREET		0
Removable Food Set Black Rest Cushon	Helder and the second s									_		man branches of the principal of the pri			7.1	-			1	130		
Tacklis Center (No. of Consolis)  Rod Holders  Suntireta Console Covers 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												A STATE OF THE PROPERTY OF THE					-			100		
Rod Holders Suntreta Caracle Caves G O G C O O C O O O O O O O O O O O O O	May be the special control of the last of the conjunction of the last special of the l					4-11-0-Cartin		and the second	-	-	Accordance to	THE RESIDENCE OF THE PARTY OF T		-	_		in				-	11073
Rod Holders under givale (note per side) 3 5 5 From Deck Sun Plat 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		-	_			1.0	- 55	9.	-11	9.	9:	The state of the s	- 8	1 89	1000	100	10000	Control	120	10000	- 0	194
Bod Lossons under givate grots per side)  5 8 5 Composite Receptch inc. reserve the gight to change, discontinue or after specifications, models, final me, equipment or preservation; action or Received Processing any distipations. Social Section and measurements are supercursary and expensional and ex	SANDERSON THE PROPERTY OF THE				-	1	100					(SALIVICA SALIVICA SA		1000	And in case of the last	ALCOHOL: NAME OF	A STATE OF THE PARTY OF THE PAR	40044	100000	and point that		411000-
Roc Holder Rocks on Console: 4 4 6 6 6 6 6 6 6 6 5 E 0 6 6 Supering any obligations. Specification and measurements are approximate and making to numerous APROXIM Reserved. Ministral 16:7015	a professional and the contract of the contrac	-	-			3	-5	8		- 2		THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW					-					
	Color to the second color and		111-	12		183	39	10														
	Liver and the law law territory control and a first entry law territory.	4	- 6	- 6	-6-	-6	6	6	- 6	0.	- 6				see and a	elated to	VALBOOKS	ATTICH	Harmon	at Month	nd 18570	115



## Sundance Boats deserve great power.

Sundance Scats is proud to recommend Mercury\* Four-Stroke Qutboard power. When you rig your boat with an outboard from Mercury Marine\*, you're not just getting the best power available - you're getting an experienced team of boating enthusiasts dedicated to taking care of you. No matter how you want to use your boat - fishing, skring, cruising or just relaxing on a sunny Saturday afternoon - everyone at Mercury wants to ensure that each minute you spend on the water is unforgettable.

MERCURY



# SHOURTY O

#### 150HP FourStroke

- . The lightest and smallest 150hp on the market
- Vibration and sound management systems, provide smooth and quiet operation.
- Highest displacement in the 150hp class delivers.
   TwoStroke targue with FourStroke efficiency.



#### 90-115HP FourStroke

- . Turn Key reliability with ease on your pocketbook
- Robust gearcase design maximizes your boating experience.
- . Supplies plenty of torque for optimal performance



#### 40-60HP FourStroke

- Gearcase provides better performance and efficiency
- · Propellers provide more power and acceleration
- Low gear ratio provides superior maneuverability.



#### 25HP FourStroke

- . The lightest engine model in its class.
- Industry-leading, battery-tree EFI provides furn-key starting, dependability and efficiency
- High-output alternatur offers more charging power than the competition



- Three-blade stainless steel propeller
- · Improves acceleration and top speed
- · Perfect for T50HP and above



### **Spitfire Propeller**

- . Four-blade aluminum propeller
- Tenacious grip in turns
- Perfect for 25HP 115HP



www.SundanceBoats.com

6131 Sundance Rd, Blackshear, GA 31516 912-449-0033 Fax: 912-449-0038 Email: boats@CRIBoats.com

Composite Research, Inc. makes Sundance, Sea Born and Spyder boats. Composite Research, Inc. continually strives to improve and enhance our products. We reserve the right to change, discontinue or alter specifications, models, features, equipment or prices without notice or incurring any obligations. Some photographs in this brochure may feature boats with optional installed equipment. Some options may conflict with other options. Specification and measurements are approximate and subject to variances. All Sundance boats are built to meet or exceed U.S. Coast Guard requirements at time of manufacturer. Sundance Boats, Sundance Skiffs, K Series, F Series, B Series, CCR Series and DX Series are trademarks of Composite Research, Inc. All Rights Reserved. Revised July 1, 2014 Confirm all specification and options with your Dealer prior to purchase.